This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.







KMITTER V SATABASE 401	L EMITTER	ENTRY 402								-
	EmITTER PARAMETERS 402	EMITTER HOSEL YES EVELL SOUTHON (3) 406 CONSTRAINTS 409 KULES 408			•	•				
1.	7	7	EMITTER	pot					ヹ	




FIGURE 5









Figure 6














•


4				
		·		
TO SE	~	5	~6	-
RF POX (MHz)	1300	1350	14.10	1860
RF Min (MIL)	000	0661	1510	1730
SO MH, ZE SO MH, ZE E MIN WIN	650x	780%	330 ms	3900
Some of the Source of the Sour	100 45	No rs	5	Bons
Erithe/	El	ដ	E	正

-400 c

Solution Mann Bory Warry Olman Ward 10 MM Olman Dank

3 3 3 3 3 3 5 5

Rutan Ruthan Ruther Ruthan Ruthan Ruthan Ruthan 1 DDMAX = S RVTAEM = 100 Cost = 5/100 = .05 nell ener ogoi 8




Jolution


Cost = 4/330 = .012

Dwe 11 1 DDMAX = 4 ~5 RVTMXX = 330~;

0921

0181





Name	RF Min	RF Max
E1	1100	1200
E2	1150	1250






Figure 17





Emitter	Dwell Duration (ms)	Revisit Time (ms)
Emitter 1	1	500
Emitter 2	2	1200

Emitter	Dwell Duration (ms)	Revisit Time (ms)	Cost
Emitter 1	1	500	.002
Emitter 2	5	1000	.005



Time (ms)





		904
	Data	
MDT	EDT	RVT
3.05	17	2868
3	19	2000
3	19	2000
1	7	500
2	9	700
2.3	11	800
0.5	3.5	1000

_ ବଧ			
〕 ゞ		Data	
	RVT	EDT	MDT
-	500	7	1
	700	9	2
	800	11	2.3
-9	1000	3.5	0.5
-4	2000	19	3
~ 9	2000	19	3
	2868	17	3.05

		Data	
	MDT	EDT	RVT
į	1	7	500
	2	9	700
	2.3	11	800
व०ऽ।	3	19	2000
9053	3.05	17	2868

Figure DAC

Figur 24A

Figure 24B


	_904	4	~~	1046	
	Data			Solution	
MDT	EDT	RVT	MDT	EDT	RVT
2	9	700	1	19	500
2.3	11	800			

	~9	044		90	46
	Data			Solution	1
MDT	EDT	RVT	MDT	EDT	RVT
			1	19	500
			2	11	700


Figure 24E

		_	19046			
-		Solution				
	MDT	EDT	RVT			
	1	19	500			
	2	11	700			

Figure 24F



Frequency








Figure 27








Figure 30

